



## Permanent Boom

The debris stops here.

The Permanent Boom is a heavy duty barrier designed to control aquatic plants, debris, and litter. Constructed using marine grade belting, these booms are able to withstand extended use in the water. Permanent booms are commonly used in marinas, ports, naval yards, repair areas, and around docks.

# Permanent Boom

The debris stops here.

The Permanent Debris Boom is a long-term solution to contain, control or divert debris. Designed for extended use in the water, these booms are constructed from a robust belting, polyethylene floats, and high resistance section connectors. Booms can be installed around specific areas to contain or deflect unwanted debris, trash, or aquatic vegetation.

## Advantages

- Robust Belting
- Marine Grade ASTM Connectors
- Lead Weight & Chain Ballast

## Features

- PVC and/or Urethane Coated Belting
- Galvanized Bottom Weights
- Connectors: Serrated Heavy Duty Aluminum ASTM Universal with Zinc Anodes

## Debris Containment, Collection and Maintenance:


Once debris has been collected, it can be harvested by using trash skimmers, pumps, vacuum trailers or other products.

If needed, permanent booms can also be used for oil containment around marinas and harbors. For more complete information on our products and solutions, visit us on the web at [www.firesuppressiontank.com](http://www.firesuppressiontank.com) Phone: 1-863-563-3357 | [info@supplysourceusa.com](mailto:info@supplysourceusa.com)



# Permanent Boom

The debris stops here.



## Boom Specifications

Type	18" 24" 36"
Fabric	PVC and/or Polyester Belting
Section Length	50' or 100"
Floats	4" or 6" Foam
Ballast	Galvanized Steel

For more complete information on our products and solutions, visit us on the web at [www.firesuppressiontank.com](http://www.firesuppressiontank.com)  
Phone: 1-863-563-3357 | [info@supplysourceusa.com](mailto:info@supplysourceusa.com)

© 2021 FST. All rights reserved. Terms and conditions apply.

All photos are representative only. Actual products may differ. Materials and specifications are subject to change without notice. Featured products in photos may include additional equipment or accessories.

Phone: 1-863-563-3357 | [www.firesuppressiontank.com](http://www.firesuppressiontank.com) | [info@supplysourceusa.com](mailto:info@supplysourceusa.com)